

#### **Product information**

### 02 06 180

### **High Leverage Combination Pliers**

DIN ISO 5746 IEC 60900 DIN EN 60900



- 35 % less effort required than with conventional combination pliers
  With cutting edges (hardness approx. 63 HRC) for heavy duty
- Easier work due to optimised leverage
- Easier cutting, powerful gripping, bending and pulling
- Long cutting edges for thicker cables
- With gripping zones for flat and round material, suitable for versatile use
- Precise, minimal light gap between the gripping jaws to ensure optimal function of the cutting edges
- Cutting edges additionally induction-hardened, cutting edge hardness approx. 63 HRC
- High-grade special tool steel, forged, multi stage oil-hardened

£1000V ▶ 4

General	
Article No.	02 06 180
EAN	4003773010012
Pliers	chrome-plated
Head	chrome-plated
Handles	insulated with multi-component grips, VDE-tested
Weight	247 g
Dimensions	180 x 56 x 20 mm
Standard	DIN ISO 5746 DIN EN 60900 IEC 60900
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Technical details	
Cutting capacities hard wire (diameter)	Ø 2.5 mm
Cutting capacities piano wire (diameter)	Ø 2.0 mm
Cutting capacity copper cable, multiple- stranded	Ø 11.5 mm
Cutting capacity copper cable, multiple- stranded	16.0 mm <sup>2</sup>
VDE tested	yes

technical change and errors excepted

# KNIPEX Quality – Made in Germany
















# KNIPEX Quality – Made in Germany





