

Product information

70 06 180 T

Diagonal Cutter

DIN ISO 5749 IEC 60900 DIN EN 60900



- Pliers with integrated, insulated tether attachment point for a tool tether
- The indispensable diagonal cutter for all-round use
- High-quality material and precise workmanship for long service life
- Precision cutting edges for soft and hard wire
- Clean cutting of thin copper wires, also at the cutting edge tips
- Cutting edges additionally induction-hardened, cutting edge hardness approx. 62 HRC
- Narrow head style for use in confined areas
- Vanadium electric steel, forged, multi stage oil-hardened





Article No. 70 06 180 T EAN 4003773081470 Pliers chrome-plated Head chrome-plated Handles insulated with multi-component grips, VDE-tested with integrated insulated tether attachment point for a tool tether Weight 270 g Dimensions 180 x 57 x 29 mm Standard DIN ISO 5749 DIN EN 60900 IEC 60900 REACH compliant does not contain SVHC	General	
Pliers chrome-plated Head chrome-plated Handles insulated with multi-component grips, VDE-tested with integrated insulated tether attachment point for a tool tether Weight 270 g Dimensions 180 x 57 x 29 mm Standard DIN ISO 5749 DIN EN 60900 IEC 60900	Article No.	70 06 180 T
Head chrome-plated Handles insulated with multi-component grips, VDE-tested with integrated insulated tether attachment point for a tool tether Weight 270 g Dimensions 180 x 57 x 29 mm Standard DIN ISO 5749 DIN EN 60900 IEC 60900	EAN	4003773081470
Handles insulated with multi-component grips, VDE-tested with integrated insulated tether attachment point for a tool tether Weight 270 g Dimensions 180 x 57 x 29 mm Standard DIN ISO 5749 DIN EN 60900 IEC 60900	Pliers	chrome-plated
insulated tether attachment point for a tool tether Weight 270 g Dimensions 180 x 57 x 29 mm Standard DIN ISO 5749 DIN EN 60900 IEC 60900	Head	chrome-plated
Dimensions 180 x 57 x 29 mm Standard DIN ISO 5749 DIN EN 60900 IEC 60900	Handles	
Standard DIN ISO 5749 DIN EN 60900 IEC 60900	Weight	270 g
	Dimensions	180 x 57 x 29 mm
REACH compliant does not contain SVHC	Standard	DIN ISO 5749 DIN EN 60900 IEC 60900
	REACH compliant	does not contain SVHC
RoHS compliant not applicable	RoHS compliant	not applicable

Technical details	
Cutting capacities soft wire (diameter)	Ø 4.0 mm
Cutting capacities medium hard wire (diameter)	Ø 3.0 mm
Cutting capacities hard wire (diameter)	Ø 2.5 mm
Drop Protection System	yes
VDE tested	yes

technical change and errors excepted

KNIPEX Quality – Made in Germany





clean cutting of thin copper wires, also at the cutting edge tips