

### **Product information**

## 95 16 160

### **KNIPEX StepCut**

Cable Shears

IEC 60900 DIN EN 60900



**A** 1000 V

#### You

#### General

•	Small, light, strong: comfortable cutting without crushing and just 160
	mm in size
	Netice ship lease offerty the suppletions out using one offer the others


- Noticeably less effort: the gradations cut wires one after the other; cutting is up to 40% easier than with standard cable shears of the same length!
- Ergonomic handle design: optimal cutting feel even for larger cable diameters
- Cuts multi-core stranded copper and aluminium cables up to Ø 15 mm (50 mm<sup>2</sup>)
- Cuts solid copper and aluminium cables up to 5 x 4 mm<sup>2</sup>
- Cuts without crushing
- Bolted joint: precise, effortless, durable
- Pinch guard fitted for safe work
- Not suitable for steel wire and hard drawn copper conductors
- Cutting edges additionally induction-hardened, cutting edge hardness approx. 56 HRC
- High-grade special tool steel, forged, oil-hardened


General		
Article No.	95 16 160	
EAN	4003773085966	
Shears	chrome-plated	
Handles	insulated with multi-component grips, VDE-tested	
Weight	225 g	
Dimensions	160 x 60 x 28 mm	
Standard	DIN EN 60900 IEC 60900	
REACH compliant	does not contain SVHC	
RoHS compliant	not applicable	
Technical details		
Cutting capacity copper cable, multiple- stranded	50 mm²	
Cutting capacity copper cable, multiple- stranded	Ø 15 mm	
AWG	1/0	
VDE tested	yes	

technical change and errors excepted


# KNIPEX Quality – Made in Germany















# KNIPEX Quality – Made in Germany





